

You can download and use the role here: <https://github.com/litwicki/ansible-php7>

roles/php7/tasks/main.yml

```
---
- name: fix proxy for Ubuntu
  shell: sudo echo "nameserver 8.8.8.8" | sudo tee /etc/resolv.conf >
/dev/null

- name: Update apt
  sudo: yes
  apt: update_cache=yes

- name: Install System Packages
  sudo: yes
  apt: pkg={{ item }} state=latest
  with_items:
    - curl
    - wget
    - snmp
    - build-essential
    - python-software-properties
    - python-pip
    - python-dev
    - openssl
    - libssl-dev
    - libcurl4-openssl-dev
    - pkg-config

- name: Add repository for php7
  shell: DEBIAN_FRONTEND=noninteractive sudo add-apt-repository -y
ppa:ondrej/php-7.0
```

- name: Update apt
 - sudo: yes
 - apt: update_cache=yes

- name: Purge php5 stuff
 - shell: apt-get purge php5-fpm && sudo apt-get -y --purge autoremove

- name: Install php7 Packages
 - sudo: yes
 - apt: pkg={{ item }} state=latest
 - with_items:
 - php7.0-fpm
 - php7.0-cli
 - php7.0-curl
 - php7.0-common
 - php7.0-json
 - php7.0-opcache
 - php7.0-mysql
 - php7.0-phpdbg
 - php7.0-dbg
 - php7.0-gd
 - php7.0-imagick
 - php7.0-ldap
 - php7.0-pgsql
 - php7.0-pspell
 - php7.0-recode
 - php7.0-snmp
 - php7.0-tidy
 - php7.0-dev
 - php7.0-intl
 - php7.0-gd

- name: Install OAUTH PHP package
sudo: yes
shell: pecl install oauth

- name: Configure the timezone
sudo: yes
template: src=timezone.tpl dest=/etc/timezone

- name: More Configure the timezone
sudo: yes
file: src=/usr/share/zoneinfo/{{server.timezone}}
dest=/etc/localtime state=link force=yes backup=yes

- name: Set default system language pack
shell: locale-gen {{server.locale}}
sudo: yes